

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1	(servlet or applet) with html with task adj object	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L4	1	(servlet or applet) with (output or response) with generat\$3 same business adj process	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L5	1	(servlet and applet) with (output or response) with (generat\$3 or creat\$4 or prepar\$5) same (process or step or task)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L7	5	communication adj flow same navigat\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L8	2	business adj (process or task) same (step or component) same navigat\$5 same (servlet or applet)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L9	2	(servlet) with (output or response) with (generat\$3 or creat\$4 or prepar\$5) same (process or step or task) same applet	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L10	4	java same servlet same map\$4 same navigat\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L11	3	(servlet or applet) with (task or process) with (one\$6 or correspond\$3) with map\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L12	5	(process or task) adj object same business same java	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L13	0	((345/764).CCLS.) and ((servlet or applet) same navigat\$5 same (process or task))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L14	7	(servlet or applet) with (output or response) with generat\$3 same (process or step or task) same (screen or metadata)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L15	12	(servlet or applet) with (task or process) with (one\$6 or correspond\$3) same business	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L16	5	interactive adj voice adj response adj protocol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59

L17	22	exten\$5 with exception with handl\$4 with class	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L18	6	business adj (process or task) same navigat\$5 same (servlet or applet)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L19	5	(process or task) adj object same business same navigat\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L20	6	(servlet or applet) same error adj message with exception	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L21	13	(bean or applet or servlet or JSP) with one-to-one	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L22	8	conver\$5 with applet with servlet	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L23	7	(servlet or applet) with business adj (object or process) same (correspond\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L24	10	(servlet or applet) with (output or response) with generat\$3 same correspond\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L25	17	(servlet or applet) adj5 (hypertext or html) same business adj (process or task or object)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L26	23	(servlet and applet) with (generat\$3 or creat\$4 or prepar\$5) adj3 (hypertext or html)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L27	27	(servlet and applet) with (hypertext or html) with (generat\$3 or creat\$4 or prepar\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L28	19	((servlet or applet) with (task or process) same business) and (((@ay < "2001") or (@pray < "2001") or (@rlad < "20010101")) and applet and servlet	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L29	24	((bean or applet or servlet or JSP) with (correspond\$3 or associat\$3 with business) and (((@ay < "2001") or (@pray < "2001") or (@rlad < "20010101"))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59

L30	0	((345/764).CCLS.) and ((servlet or applet) same (process or task))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L31	28	(servlet with (task or function) with (response or output or html or hypertext)) and (((@ay < "2001") or (@pray < "2001") or (@rlad < "20010101")))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L32	40	(servlet or applet) with html same (application or program) same (navigat\$5) not navigator	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L33	62	(servlet or applet) adj3 (generat\$3 or creat\$4 or prepar\$5) adj3 (hypertext or html)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L34	56	(bean or applet or servlet or JSP) with (correspond\$3 or associat\$3) with business	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L35	43	java with (servlet or applet) with html with map\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L36	54	exten\$5 near2 exception near2 class	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L37	49	((servlet or applet) with (task or process) same business) and (((@ay < "2001") or (@pray < "2001") or (@rlad < "20010101")))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L38	68	java same servlet same navigat\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L39	63	(servlet or applet) with html same (application or program) same (task or process) same step	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L40	117	((servlet or applet) with (output or response) with (generat\$3 or creat\$4 or prepar\$5) same (process or step or task)) and (((@ay < "2001") or (@pray < "2001") or (@rlad < "20010101")))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L41	151	(servlet or applet) with html near (generat\$3 or creat\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L42	179	(servlet or applet) with (output or response) with (generat\$3 or creat\$4 or prepar\$5) same (process or step or task)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59

L43	267	(servlet or applet) with (generat\$3 or creat\$4 or prepar\$5) adj3 (hypertext or html)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L44	271	(servlet or applet) with (task or process) with (one\$6 or correspond\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L45	0	(345/764).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 11:59
L46	2824	(servlet or applet) with html	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L47	3763	interactive adj voice adj response	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:59
L48	2495	user adj interface same framework	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 14:21
L49	186	user adj interface same framework same task	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 14:25
L50	160	user adj interface same framework same task and (distribut\$6 or corba or middleware or servlet or java or request adj broker)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 14:42
L51	87	50 and ((@ad < "20000928") or (@prad < "20000928") or (@rlad < "20000928"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 14:42
L52	119	user adj interface same framework same task and (distribut\$6 adj system or corba or middleware or servlet or java or request adj broker)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 14:50
L53	72	52 and ((@ad < "20000928") or (@prad < "20000928") or (@rlad < "20000928"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:32
L54	14	user adj interface same framework same task same (distribut\$6 adj system or corba or middleware or servlet or java or request adj broker)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 14:50

L55	7	user adj interface same framework same task same (distribut\$6 adj system or corba or middleware or servlet or request adj broker)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 14:51
L58	22	(US-20010042227-\$ or US-20020065926-\$ or US-20020077954-\$ or US-20020083132-\$ or US-20030197733-\$) did. or (US-5179702-\$ or US-5826239-\$ or US-5870545-\$ or US-5911776-\$ or US-5937388-\$ or US-6012098-\$ or US-6014673-\$ or US-6026433-\$ or US-6041306-\$ or US-6052684-\$ or US-6279030-\$ or US-6404445-\$ or US-6442563-\$ or US-6569012-\$ or US-6621505-\$ or US-6643650-\$ or US-6675228-\$) did.	US-PGPUB; USPAT	OR	ON	2005/02/28 15:04
L59	6	58 and middleware	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:08
L60	6	59 and (user with interface)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:04
L61	0	58 and (middleware same servlet)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:09
L62	0	58 and (middleware and servlet)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:09
L64	46	("6012098").URPN.	USPAT	OR	ON	2005/02/28 15:31
L65	34	64 and ((@ad < "20000928") or (@prad < "20000928") or (@rlad < "20000928"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:45
L66	29563	(user adj interface).ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:46
L67	5096	(user adj interface).ab.	USPAT	OR	ON	2005/02/28 15:46
L68	6	(user adj interface same distribut\$6 same framework).ab.	USPAT	OR	ON	2005/02/28 16:29
L69	376	(719/316).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 16:29
L70	415	(719/313).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 16:29

L71	889	(719/328).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 16:29
-----	-----	-----------------	--	----	-----	------------------